

REVOLUTIONIZING SPERM PREPARATION

ZyMöt™ Sperm Separation Devices: Better for your patients. Better for your practice.

A Better way to prepare sperm

Quality, accuracy and efficiency are central to the success of a fertility practice. Traditional, centrifugation-based sperm preparation methods are not only time-consuming and laborious, but cause additional DNA fragmentation¹ and cellular stress,² lowering the odds of success.^{3,4} ZyMöt Sperm Separation Devices are a better way to prepare sperm. It's that simple.

Simple to adopt. Easy to use.


FDA-cleared, CE-certified and available worldwide, ZyMöt devices efficiently isolate the healthiest, rapidly progressive sperm, to help achieve outcomes that matter.⁵ Minimal training is required, with simple, standardized procedures that help users quickly achieve optimal performance.

Work on your timeline

ZyMöt devices enable processing whenever a sample is ready, eliminating delays caused by an equipment bottleneck. With **only 5 minutes of total hands-on tech time per sample**, every ZyMöt-processed specimen represents a significant time savings over traditional, centrifugation-based methods. Using ZyMöt devices frees staff for other critical tasks and improves lab productivity.

Fewer steps. More confidence.

A shorter chain of custody – fewer movements per sample – means that ZyMöt devices help minimize mismatching risk, reducing the potential for costly error. **Processing sperm with ZyMöt devices gives providers more confidence and gives patients more peace of mind.**



Comparison of major sperm separation steps when using ZyMöt Sperm Separation Devices (top) versus using traditional, centrifugation-based methods (bottom). ZyMöt requires fewer movements per sample, improving efficiency and productivity while reducing risk of costly errors.

Natural. Simple. Effective.

Try ZyMöt Sperm Separation Devices and realize immediate savings of time and resources, while providing premium quality sperm separation for your patients. **Learn more at zymotfertility.com.**

References

1. Zini, A., Finelli, A., et al. Urology (2000). doi: 10.1016/S0090-4295(00)00770-6
2. Aitken, R. J. and Clarkson, J. S. J Andrology (1988). doi: 10.1002/j.1939-4640.1988.tb01067.x
3. Dimakopoulou A., Jayasena C., et al. J Endocr Soc. (2019). doi: 10.1210/js.2019-OR18-5
4. Jayasena C.N., Radia, U.K. et al. Clin Chem (2019). doi: 10.1373/clinchem.2018.289348
5. Parrella, A., Keating, D. et al. J Assist Reprod Genet (2019). doi: 10.1007/s10815-019-01543-5